

4547 Shirley Ave.
El Monte, CA 91732
Office: (240) 734-3351
Toll Free: 1-888-807-2704
Email: info@harperfloors.com
Website: www.harperfloors.com

HARPER FLOORS


Solid Hardwood Flooring

Solid Hardwood Floors - Exotic

Grade A, Coats of UV Cured Polyurethane for Scratch Resistance and Anti-abrasion, 4 sided tongue and grooves, Nail Down Installation



Style: Original Kempas Smooth



Style: Original Teakwood Handscraped



Style: Brazilian Teak Handscraped



Style: Brazilian Walnut Handscraped



Nail Down
Install



4 Sided
Tongue &
Groove



Resand

MOULDINGS	COST
Flush Stair Nose	\$49.50
T-Molding	\$29.50
Reducer	\$29.50
End Cap	\$29.50

Warranty: Lifetime Residential, 5-year Light Commercial



Solid Hardwood


Style: Original Kempas
Smooth

Key Features


- Grade A
- 8 Coats of UV Cured Polyurethane for Scratch Resistance & Anti-abrasion
- Painted Bevel Edge Type
- Smooth Surface




MATCHED MOLDINGS




Flush Stair Nose
4.5" x 1" x 94.5"



Reducer
1.8" x 0.4" x 94.5"



T-Molding
1.8" x 0.4" x 94.5"



End Cap
1" x 0.4" x 94.5"

THICKNESS	WIDTH	LENGTH	SF / BX
0.65 in	3.25 in	34.64"	19 sf / bx



Nail Down
Install



4 Sided
Tongue &
Groove



Resand



Smooth
Surface

Warranty: Lifetime Residential, 5-year Light Commercial



Solid Hardwood


Style: Original Teakwood
Handscraped

Key Features


- Grade A
- 8 Coats of UV Cured Polyurethane for Scratch Resistance & Anti-abrasion
- Pillowed Edge Type
- Handscraped Surface




MATCHED MOLDINGS




Flush Stair Nose
4.5" x 1" x 94.5"



Reducer
1.8" x 0.4" x 94.5"



T-Molding
1.8" x 0.4" x 94.5"



End Cap
1" x 0.4" x 94.5"

THICKNESS	WIDTH	LENGTH	SF / BX
0.75 in	4.75 in	48"	20.12 sf / bx



Nail Down
Install



4 Sided
Tongue &
Groove



Resand



Handscraped
Surface

Warranty: Lifetime Residential, 5-year Light Commercial



Solid Hardwood


Style: Brazilian Teak
Smooth

Key Features


- Grade A
- 9 Coats of UV Cured Polyurethane for Scratch Resistance & Anti-abrasion
- Painted Bevel Edge Type
- Smooth Surface




MATCHED MOLDINGS




Flush Stair Nose
4.5" x 1" x 94.5"



Reducer
1.8" x 0.4" x 94.5"



T-Molding
1.8" x 0.4" x 94.5"



End Cap
1" x 0.4" x 94.5"

THICKNESS	WIDTH	LENGTH	SF / BX
0.65 in	3.25 in	34.64"	19 sf / bx



Nail Down
Install



4 Sided
Tongue &
Groove



Resand



Smooth
Surface

Warranty: Lifetime Residential, 5-year Light Commercial



Solid Hardwood


Style: Brazilian Walnut
Smooth

Key Features


- Grade A
- 10 Coats of UV Cured Polyurethane for Scratch Resistance & Anti-abrasion
- Painted Bevel Edge Type
- Smooth Surface




MATCHED MOLDINGS




Flush Stair Nose
4.5" x 1" x 94.5"



Reducer
1.8" x 0.4" x 94.5"



T-Molding
1.8" x 0.4" x 94.5"



End Cap
1" x 0.4" x 94.5"

THICKNESS	WIDTH	LENGTH	SF / BX
0.65 in	3.25 in	34.64"	19 sf / bx



Nail Down
Install



4 Sided
Tongue &
Groove



Resand



Smooth
Surface

Warranty: Lifetime Residential, 5-year Light Commercial